

PROVISIONAL STATEMENT OF GENERATOR SCHEDULE (EX_BUS) BACKED DOWN FOR THE DATE:							4-Apr-17
SR. NO.	GENERATING STN. / STOA	Backing Down Period (in Time)		TARGET DESPATCHED SCHEDULE (in MW)		Backing Down Quantum (Max) in MW [A-B]	REMARK
		FROM	TO	Declared Capacity (A)	Despatched Schedule (Min) / (B)		
1	TPC U-6	X	X	X	X	X	UNIT SHUTDOWN
2	NASHIK	1	41	364	283	81	UNIT-4 CONVERTED TO ZERO SCHEDULE 00:00HRS OF 26/03/2017 BY MSEDCL, B/D AS PER SYSTEM CONDITION
		75	96	364	283	81	
3	TPC U-8	10	20	235	187	48	AS PER SYSTEM CONDITION
4	TPCU5	10	20	473	292	181	AS PER SYSTEM CONDITION
5	DTPS REL U-1AND U-2	11	20	466	336	130	AS PER SYSTEM CONDITION
6	RATTANINDIA U1,2,3,4,5	13	20	1200	1000	200	AS PER SYSTEM CONDITION
7	BHUSWAL U-2,3	X	X	X	X	X	NO BACK DOWN UNIT-2 SHUT DOWN D.C IS ZERO ,
8	KORADI U-5 TO U-7	X	X	X	X	X	NO BACK DOWN UNIT-6 SHUT DOWN, UNI-5 SHUT DOWN ,
9	KHAPERKHEDA U1 TO U4	X	X	X	X	X	NO BACK DOWN
10	BHUSWAL U-4AND U-5	X	X	X	X	X	NO BACK DOWN
11	PARLYU-6 AND U-7	X	X	X	X	X	NO BACK DOWN
12	KHAPERKHEDA U-5	X	X	X	X	X	NO BACK DOWN
13	PARLY U-8	X	X	X	X	X	UNIT SHUT DOWN
14	PARAS U3 AND U-4	X	X	X	X	X	NO BACK DOWN
15	VIPL U1 AND U2	X	X	X	X	X	NO BACK DOWN
16	KORADI U8 ,U9,10	X	X	X	X	X	NO BACK DOWN UNIT-10 SHUT DOWN ,
17	ADANI 440 PPA	X	X	X	X	X	NO BACK DOWN
18	ADANI U-1(1200MW &125MW PPA)	X	X	X	X	X	NO BACK DOWN UNIT-1 TRIPPED 12:52HRS
19	ADANI U-4(1200MW &125MW PPA)	X	X	X	X	X	NO BACK DOWN
20	ADANI U-5(1200MW &125MW PPA)	X	X	X	X	X	NO BACK DOWN
21	CHANDRAPUR U3 TO U7	X	X	X	X	X	NO BACK DOWN UNIT-7 UNIT-5 SHUT DOWN
22	CHANDRAPUR U8 AND U9	X	X	X	X	X	NO BACK DOWN
23	ADANI UNIT-2	X	X	X	X	X	NO BACK DOWN
24	ADANI U-3	X	X	X	X	X	SHUT DOWN
25	JSW U-1	X	X	X	X	X	NO BACK DOWN

NOTE:

- 1 Above Statement is an abstract of Load Generation Balance as per Day Ahead Schedules, based on State Merit Order Despatch. Maximum backingdown quantum during "Backing down Period" is indicated in the statement. Blockwise variations are available under "View Schedules".
- 2 M.O.D. RATES EFFECTIVE FROM 12TH MARCH 2017
- 3 # Indicates that back down withdrawn due to Line loading/system constraints.