

PROVISIONAL STATEMENT OF GENERATOR SCHEDULE (EX_BUS) BACKED DOWN FOR THE DATE:							27-Apr-17
SR. NO.	GENERATING STN. / STOA	Backing Down Period (in Time Block)		TARGET DESPATCHED SCHEDULE (in MW)		Backing Down Quantum [Max] in MW [A-B]	REMARK
		FROM	TO	Declared Capacity (A)	Despatched Schedule (Min) (B)		
1	TPC U-6	X	X	X	X	X	UNIT SHUTDOWN
2	TPC U-8	X	X	X	X	X	NO BACK DOWN
3	TPC U-5	X	X	X	X	X	NO BACK DOWN
4	NASIK	X	X	X	X	X	NO BACK DOWN UNIT-3 CONVERTED TO ZERO SCHEDULE BY MSEDCL ON DT. FROM 10/04/2017 1:05HRS. B/D AS PER SYSTEM CONDITION
5	REL DAHANU U1 AND U2	X	X	X	X	X	NO BACK DOWN
6	JSW PTC TO REL DA	X	X	X	X	X	NO BACK DOWN
7	RATTANINDIA U1,2,3,4,5	X	X	X	X	X	NO BACK DOWN UNIT-4 AND UNIT-5 , UNIT-3 SHUT DOWN
8	BHUSWAL U2,3	X	X	X	X	X	NO BACK DOWN UNIT-2 SHUT DOWN ,
9	KORADI U-5 TO U-7	X	X	X	X	X	NO BACK DOWN UNIT-5 AND UNIT-6 SHUT DOWN
10	KHAPERKHEDA U1 TO U4	X	X	X	X	X	NO BACK DOWN UNIT-4 TRIPPED AT 22:22HRS
11	PARLY U-6 AND U7	X	X	X	X	X	NO BACK DOWN
12	BHUSWAL U-4AND U-5	X	X	X	X	X	NO BACK DOWN
13	KHAPERKHEDA U-5	X	X	X	X	X	NO BACK DOWN
14	PARLY U-8	X	X	X	X	X	NO BACK DOWN
15	PARAS U3 AND U-4	X	X	X	X	X	NO BACK DOWN
16	VIPL U1 AND U2	X	X	X	X	X	NO BACK DOWN, UNIT-1 SHUT DOWN
17	KORADI U8 ,U9,10	X	X	X	X	X	NO BACK DOWN , UNIT-10 SHUT DOWN
18	ADANI 440 PPA	X	X	X	X	X	NO BACK DOWN
19	ADANI U-1(1200MW &125MW PPA)	X	X	X	X	X	UNIT SHUTDOWN
20	ADANI U-4(1200MW &125MW PPA)	X	X	X	X	X	NO BACK DOWN
21	ADANI U-5(1200MW &125MW PPA)	X	X	X	X	X	NO BACK DOWN
22	CHANDRAPUR U3 TO U7	X	X	X	X	X	NO BACK DOWN UNIT-7 SHUT DOWN
23	CHANDRAPUR U8 AND U9	X	X	X	X	X	NO BACK DOWN
24	ADANI UNIT-2	X	X	X	X	X	NO BACK DOWN
25	ADANI U-3	X	X	X	X	X	NO BACK DOWN
26	JSW U-1	X	X	X	X	X	NO BACK DOWN

NOTE:

- 1 Above Statement is an abstract of Load Generation Balance as per Day Ahead Schedules, based on State Merit Order Despatch. Maximum backingdown quantum during "Backing down Period" is indicated in the statement. Blockwise variations are available under "View Schedules".
- 2 M.O.D RATES EFFECTIVE FROM 12TH APRIL 2017
- 3 # Indicates that back down withdrawn due to Line loading/system constraints.