

Intra State/PX Bilateral Schedule of MSEB for Wednesday, June 02, 2010 (in MW)

App No.	020610I1	020610I2	020610I3	020610I4	020610I5	020610I6	020610I7	020610I8	020610I9	020610I10-DA-603	020610I11-DA-604	020610IEX1	020610IEX2	020610IEX3	020610IEX4
BUYER	REL MSEB	REL MSEB	BEST MSEB LOKMANGA L	MSEB	REL MSEB	REL MSEB	TPC MSEB	MSEB	REL MSEB	TPC MSEB	TPC MSEB	MSEB	REL MSEB	TPC MSEB	REL MSEB
SELLER	PPSL	Yael		TPCL U8	IPL	SREL	AA ENERGY	TPCL U4	Gangakhed	TPCL U8	TPCL U8	PX	PX	PX	PX
TRADER	MSDCL	RETL	TPTCL	TPTCL	RETL	RETL	TPTCL	TPCL	RETL	TPTCL	TPTCL	MSEDCL IEX (WardhaPower)	REL_KPDL	TPCL(PXI)	RETL
1	20	7	13.5	0	62	26	8.8	100	18	50	0	175	0	0	0
2	20	7	13.5	0	62	26	8.8	100	18	50	0	175	0	0	0
3	20	7	13.5	0	62	26	8.8	100	18	50	0	175	0	0	0
4	20	7	13.5	0	62	26	8.8	100	18	50	0	175	0	0	0
5	20	7	13.5	0	62	26	8.8	100	18	50	0	175	0	0	0
6	20	7	13.5	0	62	26	8.8	100	18	50	0	175	0	0	0
7	20	7	13.5	0	62	26	8.8	100	18	50	0	175	0	0	0
8	20	7	13.5	0	62	26	8.8	100	18	50	0	175	0	0	0
9	20	7	13.5	0	62	26	8.8	100	18	50	0	175	0	0	0
10	20	7	13.5	0	62	26	8.8	100	18	50	0	175	0	0	0
11	20	7	13.5	0	62	26	8.8	100	18	50	0	175	0	0	0
12	20	7	13.5	0	62	26	8.8	100	18	50	0	175	0	0	0
13	20	7	13.5	0	62	26	8.8	100	18	50	0	175	0	0	0
14	20	7	13.5	0	62	26	8.8	100	18	50	0	175	0	0	0
15	20	7	13.5	0	62	26	8.8	100	18	50	0	175	0	0	0
16	20	7	13.5	0	62	26	8.8	100	18	50	0	175	0	0	0
17	20	7	13.5	0	62	26	8.8	100	18	50	0	175	0	0	0
18	20	7	13.5	0	62	26	8.8	100	18	50	0	175	0	0	0
19	20	7	13.5	0	62	26	8.8	100	18	50	0	175	0	0	0
20	20	7	13.5	0	62	26	8.8	100	18	50	0	175	0	0	0
21	20	7	13.5	0	62	26	8.8	100	18	50	0	175	0	0	0
22	20	7	13.5	0	62	26	8.8	100	18	50	0	175	0	0	0
23	20	7	13.5	0	62	26	8.8	100	18	50	0	175	0	0	0
24	20	7	13.5	0	62	26	8.8	100	18	50	0	175	0	0	0
25	20	6	13.5	50	62	26	8.8	100	18	0	0	175	0	0	0
26	20	6	13.5	50	62	26	8.8	100	18	0	0	175	0	0	0
27	20	6	13.5	50	62	26	8.8	100	18	0	0	175	0	0	0
28	20	6	13.5	50	62	26	8.8	100	18	0	0	175	0	0	0
29	20	6	13.5	50	62	26	8.8	100	18	0	0	175	0	50	0
30	20	6	13.5	50	62	26	8.8	100	18	0	0	175	0	50	0
31	20	6	13.5	50	62	26	8.8	100	18	0	0	175	0	50	0
32	20	6	13.5	50	62	26	8.8	100	18	0	0	175	0	50	0
33	20	6	13.5	50	62	26	8.8	100	18	0	0	175	0	50	0
34	20	6	13.5	50	62	26	8.8	100	18	0	0	175	0	50	0
35	20	6	13.5	50	62	26	8.8	100	18	0	0	175	0	50	0
36	20	6	13.5	50	62	26	8.8	100	18	0	0	175	0	50	0
37	20	6	13.5	50	62	26	8.8	100	18	0	0	175	0	50	0
38	20	6	13.5	50	62	26	8.8	100	18	0	0	175	0	50	0
39	20	6	13.5	50	62	26	8.8	100	18	0	0	175	0	50	0
40	20	6	13.5	50	62	26	8.8	100	18	0	0	175	0	50	0
41	20	6	13.5	50	62	26	8.8	100	18	0	42	175	60	0	5
42	20	6	13.5	50	62	26	8.8	100	18	0	42	175	60	0	5
43	20	6	13.5	50	62	26	8.8	100	18	0	42	175	60	0	5
44	20	6	13.5	50	62	26	8.8	100	18	0	42	175	60	0	5
45	20	6	13.5	50	62	26	8.8	100	18	0	42	175	60	0	0
46	20	6	13.5	50	62	26	8.8	100	18	0	42	175	60	0	0
47	20	6	13.5	50	62	26	8.8	100	18	0	42	175	60	0	0
48	20	6	13.5	50	62	26	8.8	100	18	0	42	175	60	0	0

Intra State/PX Bilateral Schedule of MSEB for Wednesday, June 02, 2010 (in MW)

App No.	020610I1	020610I2	020610I3	020610I4	020610I5	020610I6	020610I7	020610I8	020610I9	020610I10-DA-603	020610I11-DA-604	020610IEX1	020610IEX2	020610IEX3	020610IEX4
BUYER	REL MSEB	REL MSEB	BEST MSEB LOKMANGA L	MSEB	REL MSEB	REL MSEB	TPC MSEB	MSEB	REL MSEB	TPC MSEB	TPC MSEB	MSEB	REL MSEB	TPC MSEB	REL MSEB
SELLER	PPSL	Yael		TPCL U8	IPL	SREL	AA ENERGY	TPCL U4	Gangakhed	TPCL U8	TPCL U8	PX	PX	PX	PX
TRADER	MSEDCL	RETL	TPTCL	TPTCL	RETL	RETL	TPTCL	TPCL	RETL	TPTCL	TPTCL	MSEDCL IEX (WardhaPower)	REL_KPDL	TPCL(PXI)	RETL
49	20	7	13.5	50	62	26	8.8	100	18	0	42	175	60	0	2
50	20	7	13.5	50	62	26	8.8	100	18	0	42	175	60	0	2
51	20	7	13.5	50	62	26	8.8	100	18	0	42	175	60	0	2
52	20	7	13.5	50	62	26	8.8	100	18	0	42	175	60	0	2
53	20	7	13.5	50	62	26	8.8	100	18	0	42	175	60	0	5
54	20	7	13.5	50	62	26	8.8	100	18	0	42	175	60	0	5
55	20	7	13.5	50	62	26	8.8	100	18	0	42	175	60	0	5
56	20	7	13.5	50	62	26	8.8	100	18	0	42	175	60	0	5
57	20	7	13.5	50	62	26	8.8	100	18	0	42	175	60	0	5
58	20	7	13.5	50	62	26	8.8	100	18	0	42	175	60	0	5
59	20	7	13.5	50	62	26	8.8	100	18	0	42	175	60	0	5
60	20	7	13.5	50	62	26	8.8	100	18	0	42	175	60	0	5
61	20	7	13.5	50	62	26	8.8	100	18	0	42	175	60	0	5
62	20	7	13.5	50	62	26	8.8	100	18	0	42	175	60	0	5
63	20	7	13.5	50	62	26	8.8	100	18	0	42	175	60	0	5
64	20	7	13.5	50	62	26	8.8	100	18	0	42	175	60	0	5
65	20	7	13.5	50	62	26	8.8	100	18	0	42	175	60	0	2
66	20	7	13.5	50	62	26	8.8	100	18	0	42	175	60	0	2
67	20	7	13.5	50	62	26	8.8	100	18	0	42	175	60	0	2
68	20	7	13.5	50	62	26	8.8	100	18	0	42	175	60	0	2
69	20	7	13.5	50	62	26	8.8	100	18	0	42	175	60	0	5
70	20	7	13.5	50	62	26	8.8	100	18	0	42	175	60	0	5
71	20	7	13.5	50	62	26	8.8	100	18	0	42	175	60	0	5
72	20	7	13.5	50	62	26	8.8	100	18	0	42	175	60	0	5
73	20	7	13.5	0	62	26	8.8	100	18	92	0	175	100	0	5
74	20	7	13.5	0	62	26	8.8	100	18	92	0	175	100	0	5
75	20	7	13.5	0	62	26	8.8	100	18	92	0	175	100	0	5
76	20	7	13.5	0	62	26	8.8	100	18	92	0	175	100	0	5
77	20	7	13.5	0	62	26	8.8	100	18	92	0	175	100	0	5
78	20	7	13.5	0	62	26	8.8	100	18	92	0	175	100	0	5
79	20	7	13.5	0	62	26	8.8	100	18	92	0	175	100	0	5
80	20	7	13.5	0	62	26	8.8	100	18	92	0	175	100	0	5
81	20	7	13.5	0	62	26	8.8	100	18	92	0	175	100	0	0
82	20	7	13.5	0	62	26	8.8	100	18	92	0	175	100	0	0
83	20	7	13.5	0	62	26	8.8	100	18	92	0	175	100	0	0
84	20	7	13.5	0	62	26	8.8	100	18	92	0	175	100	0	0
85	20	7	13.5	0	62	26	8.8	100	18	92	0	175	70	0	2
86	20	7	13.5	0	62	26	8.8	100	18	92	0	175	70	0	2
87	20	7	13.5	0	62	26	8.8	100	18	92	0	175	70	0	2
88	20	7	13.5	0	62	26	8.8	100	18	92	0	175	70	0	2
89	20	7	13.5	0	62	26	8.8	100	18	92	0	175	70	0	5
90	20	7	13.5	0	62	26	8.8	100	18	92	0	175	70	0	5
91	20	7	13.5	0	62	26	8.8	100	18	92	0	175	70	0	5
92	20	7	13.5	0	62	26	8.8	100	18	92	0	175	70	0	5
93	20	7	13.5	0	62	26	8.8	100	18	92	0	175	70	50	5
94	20	7	13.5	0	62	26	8.8	100	18	92	0	175	70	50	5
95	20	7	13.5	0	62	26	8.8	100	18	92	0	175	70	50	5
96	20	7	13.5	0	62	26	8.8	100	18	92	0	175	70	50	5