

Intra State/PX Bilateral Schedule of MSED for Friday, July 02, 2010 (in MW)

App No.	020710I1	020710I2-DA-734	020710I3	020710I4	020710I5	020710I6	020710I7	020710I8	020710IEX1	020710IEX2	020710IEX3	020710IEX4	020710IEX5
BUYER	REL MSED	REL MSED	BEST MSED	REL MSED	TPC MSED	REL MSED	TPCD MSED	TPCD MSED	MSEB	IRSL	REL MSED	REL MSED	TPCL
SELLER	PPSL	Y AEL	LOKMANGAL	IPL	AA ENERGY	Gangakhed	TPCL	TPCL	PX MSEDCL IEX (WardhaPower)	PX	PX	PX	PX
TRADER	MSEDCL	RETL	TPCL	RETL	TPCL	RETL	TPCL	TPCL		IRSL	REL RETL	REL KPD	TPCL
1	18.4	5.6	13.5	61.2	8.8	21	0	0	71.2	3	140	50	0
2	18.4	5.6	13.5	61.2	8.8	21	0	0	71.2	3	140	50	0
3	18.4	5.6	13.5	61.2	8.8	21	0	0	71.2	3	140	50	0
4	18.4	5.6	13.5	61.2	8.8	21	0	0	71.2	3	140	50	0
5	18.4	5.6	13.5	61.2	8.8	21	0	0	71.2	3	90	50	0
6	18.4	5.6	13.5	61.2	8.8	21	0	0	71.2	3	90	50	0
7	18.4	5.6	13.5	61.2	8.8	21	0	0	71.2	3	90	50	0
8	18.4	5.6	13.5	61.2	8.8	21	0	0	71.2	3	90	50	0
9	18.4	5.6	13.5	61.2	8.8	21	0	0	71.2	3	40	50	0
10	18.4	5.6	13.5	61.2	8.8	21	0	0	71.2	3	40	50	0
11	18.4	5.6	13.5	61.2	8.8	21	0	0	71.2	3	40	50	0
12	18.4	5.6	13.5	61.2	8.8	21	0	0	71.2	3	40	50	0
13	18.4	5.6	13.5	61.2	8.8	21	0	0	71.2	3	0	50	0
14	18.4	5.6	13.5	61.2	8.8	21	0	0	71.2	3	0	50	0
15	18.4	5.6	13.5	61.2	8.8	21	0	0	71.2	3	0	50	0
16	18.4	5.6	13.5	61.2	8.8	21	0	0	71.2	3	0	50	0
17	18.4	5.6	13.5	61.2	8.8	21	0	0	71.2	3	0	50	0
18	18.4	5.6	13.5	61.2	8.8	21	0	0	71.2	3	0	50	0
19	18.4	5.6	13.5	61.2	8.8	21	0	0	71.2	3	0	50	0
20	18.4	5.6	13.5	61.2	8.8	21	0	0	71.2	3	0	50	0
21	18.4	5.6	13.5	61.2	8.8	21	0	0	71.2	3	0	50	0
22	18.4	5.6	13.5	61.2	8.8	21	0	0	71.2	3	0	50	0
23	18.4	5.6	13.5	61.2	8.8	21	0	0	71.2	3	0	50	0
24	18.4	5.6	13.5	61.2	8.8	21	0	0	71.2	3	0	50	0
25	18.4	5.6	13.5	61.2	8.8	21	0	0	71.2	3	0	50	0
26	18.4	5.6	13.5	61.2	8.8	21	0	0	71.2	3	0	50	0
27	18.4	5.6	13.5	61.2	8.8	21	0	0	71.2	3	0	50	0
28	18.4	5.6	13.5	61.2	8.8	21	0	0	71.2	3	0	50	0
29	18.4	5.6	13.5	61.2	8.8	21	0	0	71.2	3	0	50	0
30	18.4	5.6	13.5	61.2	8.8	21	0	0	71.2	3	0	50	0
31	18.4	5.6	13.5	61.2	8.8	21	0	0	71.2	3	0	50	0
32	18.4	5.6	13.5	61.2	8.8	21	0	0	71.2	3	0	50	0
33	18.4	5.6	13.5	61.2	8.8	21	133	0	71.2	3	40	50	0
34	18.4	5.6	13.5	61.2	8.8	21	133	0	71.2	3	40	50	0
35	18.4	5.6	13.5	61.2	8.8	21	133	0	71.2	3	40	50	0
36	18.4	5.6	13.5	61.2	8.8	21	133	0	71.2	3	40	50	0
37	18.4	5.6	13.5	61.2	8.8	21	133	0	71.2	3	90	50	0
38	18.4	5.6	13.5	61.2	8.8	21	133	0	71.2	3	90	50	0
39	18.4	5.6	13.5	61.2	8.8	21	133	0	71.2	3	90	50	0
40	18.4	5.6	13.5	61.2	8.8	21	133	0	71.2	3	90	50	0
41	18.4	5.6	13.5	61.2	8.8	21	133	0	71.2	3	90	50	50
42	18.4	5.6	13.5	61.2	8.8	21	133	0	71.2	3	90	50	50
43	18.4	5.6	13.5	61.2	8.8	21	133	0	71.2	3	90	50	50
44	18.4	5.6	13.5	61.2	8.8	21	133	0	71.2	3	90	50	50
45	18.4	5.6	13.5	61.2	8.8	21	133	0	71.2	3	90	50	50
46	18.4	5.6	13.5	61.2	8.8	21	133	0	71.2	3	90	50	50
47	18.4	5.6	13.5	61.2	8.8	21	133	0	71.2	3	90	50	50
48	18.4	5.6	13.5	61.2	8.8	21	133	0	71.2	3	90	50	50

Intra State/PX Bilateral Schedule of MSEB for Friday, July 02, 2010 (in MW)

App No.	020710I1	020710I2-DA-734	020710I3	020710I4	020710I5	020710I6	020710I7	020710I8	020710IEX1	020710IEX2	020710IEX3	020710IEX4	020710IEX5
BUYER	REL MSEB	REL MSEB	BEST MSEB	REL MSEB	TPC MSEB	REL MSEB	TPCD MSEB	TPCD MSEB	MSEB	IRSL	REL MSEB	REL MSEB	TPCL
SELLER	PPSL	Y AEL	LOKMANGAL	IPL	AA ENERGY	Gangakhed	TPCL	TPCL	PX MSEDCL IEX (WardhaPower)	PX	PX	PX	PX
TRADER	MSEDCL	RETL	TPTCL	RETL	TPTCL	RETL	TPTCL	TPTCL		IRSL	REL RETL	REL KPDL	TPCL
49	18.4	5.6	13.5	61.2	8.8	21	133	0	71.2	3	90	50	50
50	18.4	5.6	13.5	61.2	8.8	21	133	0	71.2	3	90	50	50
51	18.4	5.6	13.5	61.2	8.8	21	133	0	71.2	3	90	50	50
52	18.4	5.6	13.5	61.2	8.8	21	133	0	71.2	3	90	50	50
53	18.4	5.6	13.5	61.2	8.8	21	133	0	71.2	3	90	50	50
54	18.4	5.6	13.5	61.2	8.8	21	133	0	71.2	3	90	50	50
55	18.4	5.6	13.5	61.2	8.8	21	133	0	71.2	3	90	50	50
56	18.4	5.6	13.5	61.2	8.8	21	133	0	71.2	3	90	50	50
57	18.4	5.6	13.5	61.2	8.8	21	133	0	71.2	3	90	50	50
58	18.4	5.6	13.5	61.2	8.8	21	133	0	71.2	3	90	50	50
59	18.4	5.6	13.5	61.2	8.8	21	133	0	71.2	3	90	50	50
60	18.4	5.6	13.5	61.2	8.8	21	133	0	71.2	3	90	50	50
61	18.4	5.6	13.5	61.2	8.8	21	133	0	71.2	3	90	50	50
62	18.4	5.6	13.5	61.2	8.8	21	133	0	71.2	3	90	50	50
63	18.4	5.6	13.5	61.2	8.8	21	133	0	71.2	3	90	50	50
64	18.4	5.6	13.5	61.2	8.8	21	133	0	71.2	3	90	50	50
65	18.4	5.6	13.5	61.2	8.8	21	133	0	71.2	3	90	50	50
66	18.4	5.6	13.5	61.2	8.8	21	133	0	71.2	3	90	50	50
67	18.4	5.6	13.5	61.2	8.8	21	133	0	71.2	3	90	50	50
68	18.4	5.6	13.5	61.2	8.8	21	133	0	71.2	3	90	50	50
69	18.4	5.6	13.5	61.2	8.8	21	133	0	71.2	3	90	50	0
70	18.4	5.6	13.5	61.2	8.8	21	133	0	71.2	3	90	50	0
71	18.4	5.6	13.5	61.2	8.8	21	133	0	71.2	3	90	50	0
72	18.4	5.6	13.5	61.2	8.8	21	133	0	71.2	3	90	50	0
73	18.4	5.6	13.5	61.2	8.8	21	0	100	71.2	3	110	50	100
74	18.4	5.6	13.5	61.2	8.8	21	0	100	71.2	3	110	50	100
75	18.4	5.6	13.5	61.2	8.8	21	0	100	71.2	3	110	50	100
76	18.4	5.6	13.5	61.2	8.8	21	0	100	71.2	3	110	50	100
77	18.4	5.6	13.5	61.2	8.8	21	0	100	71.2	3	110	50	0
78	18.4	5.6	13.5	61.2	8.8	21	0	100	71.2	3	110	50	0
79	18.4	5.6	13.5	61.2	8.8	21	0	100	71.2	3	110	50	0
80	18.4	5.6	13.5	61.2	8.8	21	0	100	71.2	3	110	50	0
81	18.4	5.6	13.5	61.2	8.8	21	0	100	71.2	3	110	50	0
82	18.4	5.6	13.5	61.2	8.8	21	0	100	71.2	3	110	50	0
83	18.4	5.6	13.5	61.2	8.8	21	0	100	71.2	3	110	50	0
84	18.4	5.6	13.5	61.2	8.8	21	0	100	71.2	3	110	50	0
85	18.4	5.6	13.5	61.2	8.8	21	0	100	71.2	3	110	50	0
86	18.4	5.6	13.5	61.2	8.8	21	0	100	71.2	3	110	50	0
87	18.4	5.6	13.5	61.2	8.8	21	0	100	71.2	3	110	50	0
88	18.4	5.6	13.5	61.2	8.8	21	0	100	71.2	3	110	50	0
89	18.4	5.6	13.5	61.2	8.8	21	0	0	71.2	3	90	50	0
90	18.4	5.6	13.5	61.2	8.8	21	0	0	71.2	3	90	50	0
91	18.4	5.6	13.5	61.2	8.8	21	0	0	71.2	3	90	50	0
92	18.4	5.6	13.5	61.2	8.8	21	0	0	71.2	3	90	50	0
93	18.4	5.6	13.5	61.2	8.8	21	0	0	71.2	3	90	50	0
94	18.4	5.6	13.5	61.2	8.8	21	0	0	71.2	3	90	50	0
95	18.4	5.6	13.5	61.2	8.8	21	0	0	71.2	3	90	50	0
96	18.4	5.6	13.5	61.2	8.8	21	0	0	71.2	3	90	50	0