

Intra State/PX Bilateral Schedule of MSEB for Friday, June 04, 2010 (in MW)

App No.	040610I1	040610I2	040610I3	040610I4	040610I5	040610I6	040610I7	040610I8	040610I9	040610I10-DA-640	040610I11-DA-639	040610IEX1	040610IEX2	040610IEX3	040610IEX4
BUYER	REL MSEB	REL MSEB	BEST MSEB LOKMANGA L	MSEB	REL MSEB	REL MSEB	TPC MSEB	MSEB	REL MSEB	TPC MSEB	TPC MSEB	MSEB	REL MSEB	MSEB	REL MSEB
SELLER	PPSL	Yael		TPCL U8	IPL	SREL	AA ENERGY	TPCL U4	Gangakhed	TPCL U8	TPCL U8	PX	PX	PX	PX
TRADER	MSEDCL	RETL	TPTCL	TPTCL	RETL	RETL	TPTCL	TPCL	RETL	TPTCL	TPTCL	MSEDCL IEX (WardhaPower)	REL_KPDL	MSEDCL PXI	RETL PXI
1	22	6	13.5	0	62	26	8.8	100	18	92	0	83.2	0	60	0
2	22	6	13.5	0	62	26	8.8	100	18	92	0	83.2	0	60	0
3	22	6	13.5	0	62	26	8.8	100	18	92	0	83.2	0	60	0
4	22	6	13.5	0	62	26	8.8	100	18	92	0	83.2	0	60	0
5	22	6	13.5	0	62	26	8.8	100	18	92	0	83.2	0	60	0
6	22	6	13.5	0	62	26	8.8	100	18	92	0	83.2	0	60	0
7	22	6	13.5	0	62	26	8.8	100	18	92	0	83.2	0	60	0
8	22	6	13.5	0	62	26	8.8	100	18	92	0	83.2	0	60	0
9	22	6	13.5	0	62	26	8.8	100	18	92	0	83.2	0	60	0
10	22	6	13.5	0	62	26	8.8	100	18	92	0	83.2	0	60	0
11	22	6	13.5	0	62	26	8.8	100	18	92	0	83.2	0	60	0
12	22	6	13.5	0	62	26	8.8	100	18	92	0	83.2	0	60	0
13	22	6	13.5	0	62	26	8.8	100	18	92	0	83.2	0	60	0
14	22	6	13.5	0	62	26	8.8	100	18	92	0	83.2	0	60	0
15	22	6	13.5	0	62	26	8.8	100	18	92	0	83.2	0	60	0
16	22	6	13.5	0	62	26	8.8	100	18	92	0	83.2	0	60	0
17	22	6	13.5	0	62	26	8.8	100	18	92	0	83.2	0	60	0
18	22	6	13.5	0	62	26	8.8	100	18	92	0	83.2	0	60	0
19	22	6	13.5	0	62	26	8.8	100	18	92	0	83.2	0	60	0
20	22	6	13.5	0	62	26	8.8	100	18	92	0	83.2	0	60	0
21	22	6	13.5	0	62	26	8.8	100	18	92	0	83.2	0	60	0
22	22	6	13.5	0	62	26	8.8	100	18	92	0	83.2	0	60	0
23	22	6	13.5	0	62	26	8.8	100	18	92	0	83.2	0	60	0
24	22	6	13.5	0	62	26	8.8	100	18	92	0	83.2	0	60	0
25	22	5	13.5	50	62	26	8.8	100	18	0	42	83.2	0	60	0
26	22	5	13.5	50	62	26	8.8	100	18	0	42	83.2	0	60	0
27	22	5	13.5	50	62	26	8.8	100	18	0	42	83.2	0	60	0
28	22	5	13.5	50	62	26	8.8	100	18	0	42	83.2	0	60	0
29	22	5	13.5	50	62	26	8.8	100	18	0	42	83.2	0	60	0
30	22	5	13.5	50	62	26	8.8	100	18	0	42	83.2	0	60	0
31	22	5	13.5	50	62	26	8.8	100	18	0	42	83.2	0	60	0
32	22	5	13.5	50	62	26	8.8	100	18	0	42	83.2	0	60	0
33	22	5	13.5	50	62	26	8.8	100	18	0	42	83.2	0	60	0
34	22	5	13.5	50	62	26	8.8	100	18	0	42	83.2	0	60	0
35	22	5	13.5	50	62	26	8.8	100	18	0	42	83.2	0	60	0
36	22	5	13.5	50	62	26	8.8	100	18	0	42	83.2	0	60	0
37	22	5	13.5	50	62	26	8.8	100	18	0	33	83.2	0	60	0
38	22	5	13.5	50	62	26	8.8	100	18	0	33	83.2	0	60	0
39	22	5	13.5	50	62	26	8.8	100	18	0	33	83.2	0	60	0
40	22	5	13.5	50	62	26	8.8	100	18	0	33	83.2	0	60	0
41	22	5	13.5	50	62	26	8.8	100	18	0	33	83.2	60	60	5
42	22	5	13.5	50	62	26	8.8	100	18	0	33	83.2	60	60	5
43	22	5	13.5	50	62	26	8.8	100	18	0	33	83.2	60	60	5
44	22	5	13.5	50	62	26	8.8	100	18	0	33	83.2	60	60	5
45	22	5	13.5	50	62	26	8.8	100	18	0	33	83.2	60	60	0
46	22	5	13.5	50	62	26	8.8	100	18	0	33	83.2	60	60	0
47	22	5	13.5	50	62	26	8.8	100	18	0	33	83.2	60	60	0
48	22	5	13.5	50	62	26	8.8	100	18	0	33	83.2	60	60	0

Intra State/PX Bilateral Schedule of MSEB for Friday, June 04, 2010 (in MW)

App No.	040610I1	040610I2	040610I3	040610I4	040610I5	040610I6	040610I7	040610I8	040610I9	040610I10-DA-640	040610I11-DA-639	040610IEX1	040610IEX2	040610IEX3	040610IEX4
BUYER	REL MSEB	REL MSEB	BEST MSEB LOKMANGA L	MSEB	REL MSEB	REL MSEB	TPC MSEB	MSEB	REL MSEB	TPC MSEB	TPC MSEB	MSEB	REL MSEB	MSEB	REL MSEB
SELLER	PPSL	Yael		TPCL U8	IPL	SREL	AA ENERGY	TPCL U4	Gangakhed	TPCL U8	TPCL U8	PX	PX	PX	PX
TRADER	MSEDCL	RETL	TPTCL	TPTCL	RETL	RETL	TPTCL	TPCL	RETL	TPTCL	TPTCL	MSEDCL IEX (WardhaPower)	REL_KPDL	MSEDCL PXI	RETL PXI
49	22	7	13.5	50	62	26	8.8	100	18	0	33	83.2	60	60	0
50	22	7	13.5	50	62	26	8.8	100	18	0	33	83.2	60	60	0
51	22	7	13.5	50	62	26	8.8	100	18	0	33	83.2	60	60	0
52	22	7	13.5	50	62	26	8.8	100	18	0	33	83.2	60	60	0
53	22	7	13.5	50	62	26	8.8	100	18	0	42	83.2	60	60	0
54	22	7	13.5	50	62	26	8.8	100	18	0	42	83.2	60	60	0
55	22	7	13.5	50	62	26	8.8	100	18	0	42	83.2	60	60	0
56	22	7	13.5	50	62	26	8.8	100	18	0	42	83.2	60	60	0
57	22	7	13.5	50	62	26	8.8	100	18	0	42	83.2	60	60	0
58	22	7	13.5	50	62	26	8.8	100	18	0	42	83.2	60	60	0
59	22	7	13.5	50	62	26	8.8	100	18	0	42	83.2	60	60	0
60	22	7	13.5	50	62	26	8.8	100	18	0	42	83.2	60	60	0
61	22	7	13.5	50	62	26	8.8	100	18	0	42	83.2	60	60	0
62	22	7	13.5	50	62	26	8.8	100	18	0	42	83.2	60	60	0
63	22	7	13.5	50	62	26	8.8	100	18	0	42	83.2	60	60	0
64	22	7	13.5	50	62	26	8.8	100	18	0	42	83.2	60	60	0
65	22	7	13.5	50	62	26	8.8	100	18	0	42	83.2	60	60	0
66	22	7	13.5	50	62	26	8.8	100	18	0	42	83.2	60	60	0
67	22	7	13.5	50	62	26	8.8	100	18	0	42	83.2	60	60	0
68	22	7	13.5	50	62	26	8.8	100	18	0	42	83.2	60	60	0
69	22	7	13.5	50	62	26	8.8	100	18	0	42	83.2	60	60	5
70	22	7	13.5	50	62	26	8.8	100	18	0	42	83.2	60	60	5
71	22	7	13.5	50	62	26	8.8	100	18	0	42	83.2	60	60	5
72	22	7	13.5	50	62	26	8.8	100	18	0	42	83.2	60	60	5
73	22	7	13.5	0	62	26	8.8	100	18	92	0	83.2	100	60	5
74	22	7	13.5	0	62	26	8.8	100	18	92	0	83.2	100	60	5
75	22	7	13.5	0	62	26	8.8	100	18	92	0	83.2	100	60	5
76	22	7	13.5	0	62	26	8.8	100	18	92	0	83.2	100	60	5
77	22	7	13.5	0	62	26	8.8	100	18	92	0	83.2	100	60	0
78	22	7	13.5	0	62	26	8.8	100	18	92	0	83.2	100	60	0
79	22	7	13.5	0	62	26	8.8	100	18	92	0	83.2	100	60	0
80	22	7	13.5	0	62	26	8.8	100	18	92	0	83.2	100	60	0
81	22	7	13.5	0	62	26	8.8	100	18	92	0	83.2	100	60	0
82	22	7	13.5	0	62	26	8.8	100	18	92	0	83.2	100	60	0
83	22	7	13.5	0	62	26	8.8	100	18	92	0	83.2	100	60	0
84	22	7	13.5	0	62	26	8.8	100	18	92	0	83.2	100	60	0
85	22	7	13.5	0	62	26	8.8	100	18	92	0	83.2	70	60	0
86	22	7	13.5	0	62	26	8.8	100	18	92	0	83.2	70	60	0
87	22	7	13.5	0	62	26	8.8	100	18	92	0	83.2	70	60	0
88	22	7	13.5	0	62	26	8.8	100	18	92	0	83.2	70	60	0
89	22	7	13.5	0	62	26	8.8	100	18	83	0	83.2	70	60	0
90	22	7	13.5	0	62	26	8.8	100	18	83	0	83.2	70	60	0
91	22	7	13.5	0	62	26	8.8	100	18	83	0	83.2	70	60	0
92	22	7	13.5	0	62	26	8.8	100	18	83	0	83.2	70	60	0
93	22	7	13.5	0	62	26	8.8	100	18	83	0	83.2	70	60	0
94	22	7	13.5	0	62	26	8.8	100	18	83	0	83.2	70	60	0
95	22	7	13.5	0	62	26	8.8	100	18	83	0	83.2	70	60	0
96	22	7	13.5	0	62	26	8.8	100	18	83	0	83.2	70	60	0