

Intra State/PX Bilateral Schedule of MSEB for Sunday, June 13, 2010 (in MW)

App No.	13061001	13061002	13061003	13061004	13061005	13061006	13061007	13061008	13061009	13061010-DA-677	130610EX1	130610EX2	130610EX3	130610EX4
BUYER	REL MSEB	REL MSEB	BEST MSEB	MSEB	REL MSEB	REL MSEB	TPC MSEB	MSEB	REL MSEB	TPC MSEB	MSEB	REL MSEB	PX	REL MSEB
SELLER	PPSL	Yael	LOKMANGAL	TPCL UB	IPL	SREL	AA ENERGY	TPCL U4	Gangakhed	TPCL UB	PX	PX	IRSL	PX
TRADER	MSEDCL	RETL	TPTCL	TPTCL	RETL	RETL	TPTCL	TPCL	RETL	TPTCL	MSEDCL IEX (WardhaPower)	REL PXI	IRSL	REL KPDL
1	21	6.5	13.5	0	72	21	8.8	100	8	50	53	0	-1.45	25
2	21	6.5	13.5	0	72	21	8.8	100	8	50	53	0	-1.45	25
3	21	6.5	13.5	0	72	21	8.8	100	8	50	53	0	-1.45	25
4	21	6.5	13.5	0	72	21	8.8	100	8	50	53	0	-1.45	25
5	21	6.5	13.5	0	72	21	8.8	100	8	0	53	0	-1.45	25
6	21	6.5	13.5	0	72	21	8.8	100	8	0	53	0	-1.45	25
7	21	6.5	13.5	0	72	21	8.8	100	8	0	53	0	-1.45	25
8	21	6.5	13.5	0	72	21	8.8	100	8	0	53	0	-1.45	25
9	21	6.5	13.5	0	72	21	8.8	100	8	0	53	0	-1.45	50
10	21	6.5	13.5	0	72	21	8.8	100	8	0	53	0	-1.45	50
11	21	6.5	13.5	0	72	21	8.8	100	8	0	53	0	-1.45	50
12	21	6.5	13.5	0	72	21	8.8	100	8	0	53	0	-1.45	50
13	21	6.5	13.5	0	72	21	8.8	100	8	0	53	0	-1.45	50
14	21	6.5	13.5	0	72	21	8.8	100	8	0	53	0	-1.45	50
15	21	6.5	13.5	0	72	21	8.8	100	8	0	53	0	-1.45	50
16	21	6.5	13.5	0	72	21	8.8	100	8	0	53	0	-1.45	50
17	21	6.5	13.5	0	72	21	8.8	100	8	0	53	0	-1.45	50
18	21	6.5	13.5	0	72	21	8.8	100	8	0	53	0	-1.45	50
19	21	6.5	13.5	0	72	21	8.8	100	8	0	53	0	-1.45	50
20	21	6.5	13.5	0	72	21	8.8	100	8	0	53	0	-1.45	50
21	21	6.5	13.5	0	72	21	8.8	100	8	0	53	0	-1.45	50
22	21	6.5	13.5	0	72	21	8.8	100	8	0	53	0	-1.45	50
23	21	6.5	13.5	0	72	21	8.8	100	8	0	53	0	-1.45	50
24	21	6.5	13.5	0	72	21	8.8	100	8	0	53	0	-1.45	50
25	21	6.5	13.5	50	72	21	8.8	100	8	0	53	0	-1.45	50
26	21	6.5	13.5	50	72	21	8.8	100	8	0	53	0	-1.45	50
27	21	6.5	13.5	50	72	21	8.8	100	8	0	53	0	-1.45	50
28	21	6.5	13.5	50	72	21	8.8	100	8	0	53	0	-1.45	50
29	21	6.5	13.5	50	72	21	8.8	100	8	0	53	0	-1.45	50
30	21	6.5	13.5	50	72	21	8.8	100	8	0	53	0	-1.45	50
31	21	6.5	13.5	50	72	21	8.8	100	8	0	53	0	-1.45	50
32	21	6.5	13.5	50	72	21	8.8	100	8	0	53	0	-1.45	50
33	21	6.5	13.5	50	72	21	8.8	100	8	0	53	0	-1.45	0
34	21	6.5	13.5	50	72	21	8.8	100	8	0	53	0	-1.45	0
35	21	6.5	13.5	50	72	21	8.8	100	8	0	53	0	-1.45	0
36	21	6.5	13.5	50	72	21	8.8	100	8	0	53	0	-1.45	0
37	21	6.5	13.5	50	72	21	8.8	100	8	0	53	0	-1.45	0
38	21	6.5	13.5	50	72	21	8.8	100	8	0	53	0	-1.45	0
39	21	6.5	13.5	50	72	21	8.8	100	8	0	53	0	-1.45	0
40	21	6.5	13.5	50	72	21	8.8	100	8	0	53	0	-1.45	0
41	21	6.5	13.5	50	72	21	8.8	100	8	0	53	6	-1.45	0
42	21	6.5	13.5	50	72	21	8.8	100	8	0	53	6	-1.45	0
43	21	6.5	13.5	50	72	21	8.8	100	8	0	53	6	-1.45	0
44	21	6.5	13.5	50	72	21	8.8	100	8	0	53	6	-1.45	0
45	21	6.5	13.5	50	72	21	8.8	100	8	0	53	6	-1.45	0
46	21	6.5	13.5	50	72	21	8.8	100	8	0	53	6	-1.45	0
47	21	6.5	13.5	50	72	21	8.8	100	8	0	53	6	-1.45	0
48	21	6.5	13.5	50	72	21	8.8	100	8	0	53	6	-1.45	0

Intra State/PX Bilateral Schedule of MSEB for Sunday, June 13, 2010 (in MW)

App No.	13061001	13061002	13061003	13061004	13061005	13061006	13061007	13061008	13061009	13061010-DA-677	130610EX1	130610EX2	130610EX3	130610EX4
BUYER	REL MSEB	REL MSEB	BEST MSEB	MSEB	REL MSEB	REL MSEB	TPC MSEB	MSEB	REL MSEB	TPC MSEB	MSEB	REL MSEB	PX	REL MSEB
SELLER	PPSL	Yael	LOKMANGAL	TPCL UB	IPL	SREL	AA ENERGY	TPCL U4	Gangakhed	TPCL UB	PX	PX	IRSL	PX
TRADER	MSEDCL	RETL	TPTCL	TPTCL	RETL	RETL	TPTCL	TPCL	RETL	TPTCL	MSEDCL IEX (WardhaPower)	REL PXI	IRSL	REL KPDL
49	21	6.5	13.5	50	72	21	8.8	100	8	0	53	6	-1.45	0
50	21	6.5	13.5	50	72	21	8.8	100	8	0	53	6	-1.45	0
51	21	6.5	13.5	50	72	21	8.8	100	8	0	53	6	-1.45	0
52	21	6.5	13.5	50	72	21	8.8	100	8	0	53	6	-1.45	0
53	21	6.5	13.5	50	72	21	8.8	100	8	0	53	6	-1.45	0
54	21	6.5	13.5	50	72	21	8.8	100	8	0	53	6	-1.45	0
55	21	6.5	13.5	50	72	21	8.8	100	8	0	53	6	-1.45	0
56	21	6.5	13.5	50	72	21	8.8	100	8	0	53	6	-1.45	0
57	21	6.5	13.5	50	72	21	8.8	100	8	0	53	6	-1.45	0
58	21	6.5	13.5	50	72	21	8.8	100	8	0	53	6	-1.45	0
59	21	6.5	13.5	50	72	21	8.8	100	8	0	53	6	-1.45	0
60	21	6.5	13.5	50	72	21	8.8	100	8	0	53	6	-1.45	0
61	21	6.5	13.5	50	72	21	8.8	100	8	0	53	6	-1.45	0
62	21	6.5	13.5	50	72	21	8.8	100	8	0	53	6	-1.45	0
63	21	6.5	13.5	50	72	21	8.8	100	8	0	53	6	-1.45	0
64	21	6.5	13.5	50	72	21	8.8	100	8	0	53	6	-1.45	0
65	21	6.5	13.5	50	72	21	8.8	100	8	0	53	6	-1.45	0
66	21	6.5	13.5	50	72	21	8.8	100	8	0	53	6	-1.45	0
67	21	6.5	13.5	50	72	21	8.8	100	8	0	53	6	-1.45	0
68	21	6.5	13.5	50	72	21	8.8	100	8	0	53	6	-1.45	0
69	21	6.5	13.5	50	72	21	8.8	100	8	0	53	6	-1.45	0
70	21	6.5	13.5	50	72	21	8.8	100	8	0	53	6	-1.45	0
71	21	6.5	13.5	50	72	21	8.8	100	8	0	53	6	-1.45	0
72	21	6.5	13.5	50	72	21	8.8	100	8	0	53	6	-1.45	0
73	21	6.5	13.5	0	72	21	8.8	100	8	50	53	6	-1.45	0
74	21	6.5	13.5	0	72	21	8.8	100	8	50	53	6	-1.45	0
75	21	6.5	13.5	0	72	21	8.8	100	8	50	53	6	-1.45	0
76	21	6.5	13.5	0	72	21	8.8	100	8	50	53	6	-1.45	0
77	21	6.5	13.5	0	72	21	8.8	100	8	50	53	0	-1.45	0
78	21	6.5	13.5	0	72	21	8.8	100	8	50	53	0	-1.45	0
79	21	6.5	13.5	0	72	21	8.8	100	8	50	53	0	-1.45	0
80	21	6.5	13.5	0	72	21	8.8	100	8	50	53	0	-1.45	0
81	21	6.5	13.5	0	72	21	8.8	100	8	50	53	0	-1.45	0
82	21	6.5	13.5	0	72	21	8.8	100	8	50	53	0	-1.45	0
83	21	6.5	13.5	0	72	21	8.8	100	8	50	53	0	-1.45	0
84	21	6.5	13.5	0	72	21	8.8	100	8	50	53	0	-1.45	0
85	21	6.5	13.5	0	72	21	8.8	100	8	50	53	0	-1.45	0
86	21	6.5	13.5	0	72	21	8.8	100	8	50	53	0	-1.45	0
87	21	6.5	13.5	0	72	21	8.8	100	8	50	53	0	-1.45	0
88	21	6.5	13.5	0	72	21	8.8	100	8	50	53	0	-1.45	0
89	21	6.5	13.5	0	72	21	8.8	100	8	50	53	0	-1.45	25
90	21	6.5	13.5	0	72	21	8.8	100	8	50	53	0	-1.45	25
91	21	6.5	13.5	0	72	21	8.8	100	8	50	53	0	-1.45	25
92	21	6.5	13.5	0	72	21	8.8	100	8	50	53	0	-1.45	25
93	21	6.5	13.5	0	72	21	8.8	100	8	50	53	0	-1.45	25
94	21	6.5	13.5	0	72	21	8.8	100	8	50	53	0	-1.45	25
95	21	6.5	13.5	0	72	21	8.8	100	8	50	53	0	-1.45	25
96	21	6.5	13.5	0	72	21	8.8	100	8	50	53	0	-1.45	25