

Intra State/PX Bilateral Schedule of MSEB for Saturday, June 19, 2010 (in MW)

App No.	19061001	19061002	19061003	19061004	19061005	19061006	19061007	19061008	19061009-DA-694	190610EX1	190610EX2	190610EX3	190610EX4
BUYER	REL MSEB	REL MSEB	BEST MSEB	MSEB	REL MSEB	REL MSEB	TPC MSEB	REL MSEB	TPC MSEB	MSEB	MSEB	PX	PX
SELLER	PPSL	YREL	LOKMANGAL	TPCL UB	IPL	SREL	AA ENERGY	Gangakhed	TPCL UB	PX	PX	IRSL	TPCUB
TRADER	MSEDCL	RETL	TPTCL	TPTCL	RETL	RETL	TPTCL	RETL	TPTCL	MSEDCL IEX (WardhaPower)	MSEDCL PXI	IRSL	TPCL
1	0	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
2	0	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
3	0	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
4	0	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
5	0	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
6	0	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
7	0	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
8	0	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
9	0	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
10	0	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
11	0	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
12	0	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
13	0	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
14	0	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
15	0	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
16	0	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
17	0	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
18	0	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
19	0	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
20	0	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
21	0	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	-28.36
22	0	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	-28.36
23	0	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	-28.36
24	0	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	-28.36
25	0	7	13.5	32	62	16	0	10	0	30	33.4	-1.45	0
26	0	7	13.5	32	62	16	0	10	0	30	33.4	-1.45	0
27	0	7	13.5	32	62	16	0	10	0	30	33.4	-1.45	0
28	0	7	13.5	32	62	16	0	10	0	30	33.4	-1.45	0
29	0	7	13.5	32	62	16	0	10	0	30	33.4	-1.45	0
30	0	7	13.5	32	62	16	0	10	0	30	33.4	-1.45	0
31	0	7	13.5	32	62	16	0	10	0	30	33.4	-1.45	0
32	0	7	13.5	32	62	16	0	10	0	30	33.4	-1.45	0
33	0	7	13.5	16	62	16	0	10	0	30	33.4	-1.45	0
34	0	7	13.5	16	62	16	0	10	0	30	33.4	-1.45	0
35	0	7	13.5	16	62	16	0	10	0	30	33.4	-1.45	0
36	0	7	13.5	16	62	16	0	10	0	30	33.4	-1.45	0
37	0	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
38	0	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
39	0	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
40	0	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
41	0	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
42	0	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
43	0	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
44	0	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
45	0	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
46	0	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
47	0	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
48	0	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0

Intra State/PX Bilateral Schedule of MSEB for Saturday, June 19, 2010 (in MW)

App No.	19061001	19061002	19061003	19061004	19061005	19061006	19061007	19061008	19061009-DA-694	190610EX1	190610EX2	190610EX3	190610EX4
BUYER	REL MSEB	REL MSEB	BEST MSEB	MSEB	REL MSEB	REL MSEB	TPC MSEB	REL MSEB	TPC MSEB	MSEB	MSEB	PX	PX
SELLER	PPSL	YREL	LOKMANGAL	TPCL UB	IPL	SREL	AA ENERGY	Gangakhed	TPCL UB	PX	PX	IRSL	TPCUB
TRADER	MSEDCL	RETL	TPTCL	TPTCL	RETL	RETL	TPTCL	RETL	TPTCL	MSEDCL IEX (WardhaPower)	MSEDCL PXI	IRSL	TPCL
49	5	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
50	5	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
51	5	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
52	5	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
53	10	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
54	10	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
55	10	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
56	10	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
57	15	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
58	15	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
59	15	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
60	15	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
61	20	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
62	20	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
63	20	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
64	20	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
65	20	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
66	20	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
67	20	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
68	20	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
69	20	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
70	20	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
71	20	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
72	20	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
73	20	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
74	20	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
75	20	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
76	20	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
77	20	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
78	20	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
79	20	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
80	20	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
81	20	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
82	20	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
83	20	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
84	20	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
85	20	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
86	20	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
87	20	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
88	20	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
89	20	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
90	20	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
91	20	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
92	20	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
93	20	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
94	20	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
95	20	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0
96	20	7	13.5	0	62	16	0	10	0	30	33.4	-1.45	0