

GENERATING UNIT OUTAGES FOR THE WEEK

FROM 11-Jul-11 TO 17-Jul-11

UNIT UNDER PLANNED OUTAGE

name	unit_no	derat_cap	date_trip	time_trip	date_sync	time_sync	reasondes
Dabhol	1A	230	20-May-11	13.22		Continued.	Rotor replacement.
Parli	Unit 6	250	16-Jun-11	05.50		Continued.	Annual Overhaul
Chandrapur	Unit 7	500	29-Jun-11	21:40		Continued.	COH
Bhusawal	Unit 3	210	5-Jul-11	00.39	12-Jul-11	10.34	Feasibility test of ESP.
Koyna	Unit 4	75	7-Jul-11	11:20		Continued.	Runner Replacement Work.
Parli	Unit 3	210	13-Jul-11	07.15		Continued.	Coal mill problem.
CPP	WPCL U-2	135	14-Jul-11	18:40		Continued.	Maintenance work.
Tata	Trombay 8	250	15-Jul-11	01:45		Continued.	AOH

UNIT UNDER FORCED OUTAGE

name	unit_no	derat_cap	date_trip	time_trip	date_sync	time_sync	reason
Uran	Unit 8	108	6-Jun-11	23.12		Continued.	Bus Bar Protection operated,as Y-Ph BKR pole of Uran U-5 burst.
Parli	Unit 7	250	7-Jul-11	12:14	13-Jul-11	11.02	Boiler Tube Leakage.
Parli	Unit 4	210	9-Jul-11	13.10	17-Jul-11	17.20	Low Condenser Vacum.
Nasik	Unit 4	210	10-Jul-11	11.30	14-Jul-11	02.40	Withdrawn due to wet coal.
Bhusawal	Unit 2	210	11-Jul-11	16.32	14-Jul-11	11:30	BLR T/L.
CPP	WPCL U-3	135	11-Jul-11	23.05	12-Jul-11	02.39	Loss of excitation.
Chandrapur	Unit 6	500	12-Jul-11	17.24		Continued.	Boiler Tube Leakage.
Uran	Unit B0	120	12-Jul-11	17.54	13-Jul-11	12.26	Tripped.
Koyna	ST-IV 1	250	13-Jul-11	09.35	13-Jul-11	19.30	Tripped due to DCS system problem.
Koyna	ST-IV 2	250	13-Jul-11	09.35	13-Jul-11	20.00	Tripped due to DCS system problem.
Koyna	ST - IV 3	250	13-Jul-11	09.35	14-Jul-11	20:00	Tripped due to DCS system problem.
Koyna	ST - IV 4	250	13-Jul-11	09.35	16-Jul-11	00.01	Tripped due to DCS system problem.
Chandrapur	Unit 2	210	13-Jul-11	23.06	15-Jul-11	15.07	Furnace pressure high.
REL	1	250	14-Jul-11	01.00	15-Jul-11	16.16	Boiler Tube Leakage.
Parli	Unit 5	210	14-Jul-11	16:18	16-Jul-11	23.35	Wet Coal.
Uran	Unit 5	108	15-Jul-11	10.40		Continued.	Turbine Blade Replacement.
Khaparkheda	Unit 2	210	15-Jul-11	23.13	16-Jul-11	04.02	Stator Water Conductivity Problem.
Nasik	Unit 4	210	17-Jul-11	12.24	17-Jul-11	14.00	High Drum Level.
Uran	Unit 6	108	17-Jul-11	11.52		Continued.	Stator earth fault.
Uran	Unit A0	120	17-Jul-11	11.52		Continued.	Stator earth fault.