

GENERATING UNIT OUTAGES FOR THE WEEK

FROM 8-Nov-10 TO 14-Nov-10

UNIT UNDER PLANNED OUTAGE

name	unit_no	derat_cap	date_trip	time_trip	date_sync	time_sync	reason
Cent_Sect	KARPR1	220	1-Jul-08	00:10		Continued.	COH(En-Mass Coolant Clanel Replacement)
Koyna	ST-IV 2	250	16-Jul-10	00:00		Continued.	Preparing Work for 2nd Lake Tapping.
Koradi	Unit 4	105	24-Aug-10	06:02	9-Nov-10	16:30	Annual Overhaul.
Nasik	Unit 4	210	15-Sep-10	10:55		Continued.	Annual Overhaul.
Cent_Sect	Tarapur 1	80	10-Oct-10	21:30		Continued.	Fuel Refueling.

UNIT UNDER FORCED OUTAGE

name	unit_no	derat_cap	date_trip	time_trip	date_sync	time_sync	reason
Uran	Unit 2	60	4-Oct-08	19:00		Continued.	Gas Restriction
Uran	Unit 4	60	1-Apr-09	00:00		Continued.	Gas Restriction
Uran	Unit 3	60	16-Jun-10	19:52		Continued.	R.M.Work.
Dabhol	2A	230	12-Jul-10	01:55		Continued.	Tripped due to Electrical Fault
Koradi	Unit 7	210	28-Oct-10	13:32	8-Nov-10	01:17	Furnace Pressure High./Suspected BTL
Khaparkheda	Unit 2	210	4-Nov-10	22:23	14-Nov-10	12:52	Boiler Tube Leakage.
Paras	Unit 3	250	7-Nov-10	06:27	11-Nov-10	23:20	Low Drum Level.
Nasik	Unit 2	120	7-Nov-10	07:50	10-Nov-10	10:30	Boiler Tube Leakage.
REL	1	250	7-Nov-10	10:01	9-Nov-10	12:47	Boiler Tube Leakage.
Parli	Unit 6	250	8-Nov-10	10:39	8-Nov-10	13:11	Furnace pressure high.
Paras	Unit 2	55	8-Nov-10	10:35	8-Nov-10	20:44	Superheater spread line leakage.
Chandrapur	Unit 3	210	9-Nov-10	03:24	11-Nov-10	20:36	Air heater triped.
Bhusawal	Unit 2	210	9-Nov-10	05:05	14-Nov-10	06:34	Boiler Tube Leakage.
Nasik	Unit 5	210	9-Nov-10	10:15	9-Nov-10	13:45	Air Heater Problem
Nasik	Unit 5	210	9-Nov-10	14:50	9-Nov-10	17:10	Direct Turbine Trip
Bhusawal	Unit 1	58	9-Nov-10	06:35	13-Nov-10	12:30	Boiler Tube Leakage.
Koradi	Unit 4	105	9-Nov-10	19:17	10-Nov-10	02:55	Vibration Problem.
Cent_Sect	NTPC (K-2)	210	9-Nov-10	14:10	10-Nov-10	17:00	Boiler Tube Leakage
Koyna	ST - IV 3	250	9-Nov-10	18:10	10-Nov-10	01:19	Shaft Seal Temp.very high
Parli	Unit 4	210	10-Nov-10	04:09	10-Nov-10	08:03	Loss of Fuel.
Koradi	Unit 4	105	10-Nov-10	23:04	12-Nov-10	21:45	Over Speed.
Uran	Unit 7	108	11-Nov-10	00:35	11-Nov-10	02:23	Tripped on boiler protection.
Koradi	Unit 2	105	11-Nov-10	06:01	11-Nov-10	10:36	Boiler temp.problem.
Chandrapur	Unit 3	210	11-Nov-10	21:33	11-Nov-10	23:59	UAT Changover.
Cent_Sect	NTPC(V-6)	210	11-Nov-10	17:22	13-Nov-10	12:06	Boiler Tube Leakage.
Uran	Unit 8	108	12-Nov-10	01:42	13-Nov-10	00:11	Tripped.
Bhusawal	Unit 3	210	12-Nov-10	16:00	12-Nov-10	17:09	Air Heater Trip.
Paras	Unit 4	250	12-Nov-10	14:19	12-Nov-10	18:01	Air Heater Trip.
Parli	Unit 3	210	12-Nov-10	22:13		Continued.	ESP Internal Inspection Work.
Koradi	Unit 4	105	13-Nov-10	23:02		Continued.	Boiler Tube Leakage.
Bhusawal	Unit 1	58	14-Nov-10	10:55		Continued.	Feed Line Problem.
Nasik	Unit 3	210	15-Nov-10	02:40		Continued.	Boiler Tripped.