

GENERATING UNIT OUTAGES FOR THE WEEK

FROM 17-Jan-11 TO 23-Jan-11

UNIT UNDER PLANNED OUTAGE

name	unit_no	derat_cap	date_trip	time_trip	date_sync	time_sync	reason
Koradi	Unit 6	210	26-Dec-10	09.23		Continued.	Annual Overhaul.
Khaparkheda	Unit 4	210	3-Jan-11	15.26		Continued.	Capital Overhaul.
Dabhol	3B	230	4-Jan-11	16.44		Continued.	Rehabilitation work.
Tata	Trombay 6	500	7-Jan-11	00.04		Continued.	Capital overhaul.
Koyna	Unit 11	80	13-Jan-11	07.45		Continued.	Retrofitting work of excitation system.
CPP	JSW JAIGAD	300	22-Jan-11	02:15		Continued.	W/D For Annual Inspection

UNIT UNDER FORCED OUTAGE

name	unit_no	derat_cap	date_trip	time_trip	date_sync	time_sync	reason
Uran	Unit 2	60	4-Oct-08	19.00		Continued.	Gas Restriction
Uran	Unit 4	60	1-Apr-09	00:00		Continued.	Gas Restriction
Uran	Unit 3	60	16-Jun-10	19.52		Continued.	R.M.Work.
Parli	Unit 7	250	14-Jan-11	11.21		Continued.	M.S.Temp.Low
Nasik	Unit 5	210	15-Jan-11	21:10	18-Jan-11	05.35	Boiler Tube Leakage.
Koyna	Unit 4	75	16-Jan-11	05.35	17-Jan-11	18.00	Main Bus-I outage at Pophali
Chandrapur	Unit 7	500	17-Jan-11	10.17	19-Jan-11	21.06	Boiler Tube Leakage.
Koyna	Unit 12	80	17-Jan-11	07.05	17-Jan-11	17.40	Bus Section - II Outage.
Paras	Unit 4	250	18-Jan-11	08.58		Continued.	Boiler Tube Leakage.
Cent_Sect	Sipat-4	500	18-Jan-11	21.08	19-Jan-11	06.35	Fuel shortage.
Parli	Unit 3	210	19-Jan-11	16.45	20-Jan-11	01:05	Due to 220/6.6 KV Stn.T/F-II Tripped.
Parli	Unit 5	210	19-Jan-11	16.46	22-Jan-11	05.19	Due to 220/6.6 KV Stn.T/F-II Tripped.
Cent_Sect	NTPC(K-5)	500	19-Jan-11	13.25	20-Jan-11	17.05	BLR T/L.
Bhusawal	Unit 2	210	19-Jan-11	22.35	20-Jan-11	01.38	Furnace pressure high.
Bhusawal	Unit 2	210	20-Jan-11	01.40	20-Jan-11	11:32	Furnace pressure low.
Uran	Unit 7	108	20-Jan-11	02.01	20-Jan-11	17:53	Filter Replacement.
Nasik	Unit 3	210	20-Jan-11	17.00	20-Jan-11	18.40	Boiler Trip.
Parli	Unit 3	210	20-Jan-11	05:40		Continued.	Fire On Boiler
Bhusawal	Unit 2	210	20-Jan-11	11:48	20-Jan-11	12:57	Low Vaccum
CPP	JSW JAIGAD	300	21-Jan-11	19:06	21-Jan-11	23:50	Trip
Bhusawal	Unit 2	210	22-Jan-11	23.22		Continued.	Boiler Tube Leakage