

GENERATING UNIT OUTAGES FOR THE WEEK

FROM 21-Feb-11 TO 27-Feb-11

UNIT UNDER PLANNED OUTAGE

name	unit_no	derat_cap	date_trip	time_trip	date_sync	time_sync	reason
Dabhol	3B	230	4-Jan-11	16:44		Continued.	Rehabilitation work.
Dabhol	3A	230	29-Jan-11	17.35		Continued.	Heavy leakage in CW Duct
Dabhol	3X	290	29-Jan-11	17.35		Continued.	Hand Tripped
Uran	Unit 6	108	5-Feb-11	11.28	22-Feb-11	00.47	Stator Earth Fault

UNIT UNDER FORCED OUTAGE

name	unit_no	derat_cap	date_trip	time_trip	date_sync	time_sync	reason
Chandrapur	Unit 1	210	20-Feb-11	02.56	22-Feb-11	20.02	Boiler Tube Leakage
Cent_Sect	NTPC(V-7)	500	20-Feb-11	07.15	21-Feb-11	14.47	Boiler Tube Leakage
Cent_Sect	Sipat-4	500	21-Feb-11	03.09	21-Feb-11	06.36	Loss Of Fuel
Khaparkheda	Unit 3	210	21-Feb-11	11.59	22-Feb-11	18.58	Boiler Tube Leakage.
Uran	Unit 5	108	22-Feb-11	05.02	22-Feb-11	05.52	HPF Water Pump Trip.
Uran	Unit A0	120	22-Feb-11	05.02	22-Feb-11	07.30	HPF Water Pump Trip.
REL	1	250	22-Feb-11	10.38	23-Feb-11	22.41	Boiler Tube Leakage.
Uran	Unit 8	108	22-Feb-11	15.41	22-Feb-11	18.11	CO2 System Male Operation.
Uran	Unit 5	108	22-Feb-11	22.05	23-Feb-11	05.20	Demper Problem.
CPP	JSW (J) U2	300	22-Feb-11	12.00	22-Feb-11	14.37	P.A.Fan Tripped
Nasik	Unit 3	210	23-Feb-11	18.23	26-Feb-11	20.30	BLR T/L.
CPP	WPCL U-1	135	23-Feb-11	10.00	25-Feb-11	07.24	Tripped.
CPP	WPCL U-3	135	23-Feb-11	15.25	23-Feb-11	16.29	Tripped.
CPP	JSW (J) U1	300	23-Feb-11	17.13	23-Feb-11	18.35	Tripped.
Parli	Unit 4	210	23-Feb-11	23.09	25-Feb-11	18.04	Due to HP CV3 Problem.
Parli	Unit 6	250	24-Feb-11	18.58	28-Feb-11	02.21	Bunkering Problem.
Nasik	Unit 4	210	25-Feb-11	20.14	26-Feb-11	15.20	Bus Fault
Nasik	Unit 5	210	25-Feb-11	20.14	26-Feb-11	11.42	Bus Fault
Paras	Unit 3	250	25-Feb-11	07.08	27-Feb-11	18.42	Boiler Tube Leakage
CPP	WPCL U-3	135	25-Feb-11	21.09	28-Feb-11	03.43	Tripped
Tata	Trombay 8	250	26-Feb-11	01.31	28-Feb-11	04.52	Cooling water system
Uran	Unit 7	108	26-Feb-11	06.16	26-Feb-11	17.54	Filter replacement.
Nasik	Unit 5	210	26-Feb-11	12.30	26-Feb-11	16.20	Drum level high.
Dabhol	1B	230	26-Feb-11	23.22	27-Feb-11	07.39	Air Filter replacement
Uran	Unit 8	108	26-Feb-11	22.16	26-Feb-11	22.35	Boiler Protection
Uran	Unit B0	120	26-Feb-11	21.45	27-Feb-11	06.07	Bearing vibration
Koyna	Unit 5	80	27-Feb-11	07.25		Continued.	Needle replacement
Nasik	Unit 1	120	28-Feb-11	03.05		Continued.	Bus Fault
Nasik	Unit 2	120	28-Feb-11	03.05		Continued.	Bus Fault
Nasik	Unit 3	210	28-Feb-11	03.05		Continued.	Bus Fault
Nasik	Unit 4	210	28-Feb-11	03.05		Continued.	Bus Fault
Nasik	Unit 5	210	28-Feb-11	03.05		Continued.	Bus Fault