

GENERATING UNIT OUTAGES FOR THE WEEK

FROM 22-Nov-10 TO 28-Nov-10

UNIT UNDER PLANNED OUTAGE

name	unit_no	derat_cap	date_trip	time_trip	date_sync	time_sync	reason
Cent_Sect	KARPR1	220	1-Jul-08	00:10		Continued.	COH(En-Mass Coolant Clanel Replacement)
Cent_Sect	Tarapur 1	80	10-Oct-10	21.30	24-Nov-10	22.43	Fuel Refuelling.
Uran	Unit 5	108	18-Nov-10	01.23	22-Nov-10	22.33	Maintenance work
Parli	Unit 5	210	19-Nov-10	01.05		Continued.	Annual Overhaul
Cent_Sect	NTPC(V-3)	210	23-Nov-10	00.20		Continued.	Annual overhaul.
Nasik	Unit 2	120	23-Nov-10	00.40		Continued.	Annual Overhaul.
REL	1	250	24-Nov-10	03.55		Continued.	Annual overhaul
Koyna	Unit 7	80	25-Nov-10	07.05		Continued.	Turbine Guide Bearing repl.work

UNIT UNDER FORCED OUTAGE

name	unit_no	derat_cap	date_trip	time_trip	date_sync	time_sync	reason
Uran	Unit 2	60	4-Oct-08	19.00		Continued.	Gas Restriction
Uran	Unit 4	60	1-Apr-09	00:00		Continued.	Gas Restriction
Uran	Unit 3	60	16-Jun-10	19.52		Continued.	R.M.Work.
Dabhol	2A	230	12-Jul-10	01.55		Continued.	Tripped due to Electrical Fault
Paras	Unit 2	55	16-Nov-10	23.00		Continued.	Boiler tube validity expired.
Koradi	Unit 4	105	19-Nov-10	15.27	22-Nov-10	19.29	Boiler Tube Leakage.
Cent_Sect	KARPR2	220	21-Nov-10	00.09	24-Nov-10	20.38	Saftey checking.
Bhusawal	Unit 1	58	22-Nov-10	03:55	23-Nov-10	10.00	Boiler - 2 feed line fisher valve problem.
Bhusawal	Unit 2	210	22-Nov-10	21.30	22-Nov-10	22.46	Drum level low.
Tata	Trombay 7B	60	22-Nov-10	18.55	23-Nov-10	00.41	Low Vaccum.
Cent_Sect	NTPC(K-6)	500	23-Nov-10	01.36	24-Nov-10	00.11	Boiler tube leakage.
Cent_Sect	NTPC(V-8)	500	24-Nov-10	05.54	24-Nov-10	09.30	Electrical fault.
Dabhol	3B	230	24-Nov-10	12.37	24-Nov-10	15.40	Hydrolic oil pressure
Koradi	Unit 1	105	25-Nov-10	12.46		Continued.	Boiler Feed Pump problem
Parli	Unit 2	30	25-Nov-10	08.02	26-Nov-10	00.40	Flame Failure
CPP	JSW JAIGAD	300	25-Nov-10	21.35		Continued.	Boiler Tube Leakage.
Nasik	Unit 1	120	26-Nov-10	17.50		Continued.	Trouble Shooting.
Cent_Sect	NTPC(K-5)	500	26-Nov-10	16.33		Continued.	Boiler Tube Leakage.
Parli	Unit 6	250	27-Nov-10	02.55	27-Nov-10	07.25	Furnace Pressure High.
Cent_Sect	NTPC(V-4)	210	27-Nov-10	12.07		Continued.	Boiler Tube Leakage.
Parli	Unit 6	250	28-Nov-10	15.25		Continued.	BLR T/L.
Cent_Sect	NTPC (K-2)	210	28-Nov-10	20.30		Continued.	BLR T/L.